

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(correct\$5 adj2 (print adj2 data color\$5)) with (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) adj2 (characteristic\$5 profile\$5 information\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:14
		((correct\$5 adjust\$5) near3 print adj2 data) same (color adj2 conver\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 13:22
		((correct\$5 adjust\$5) near3 print adj2 data) same (color adj2 conver\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 13:21
		(server\$5 host adj2 computer\$5 controller\$5) same ((correct\$5 adj4 (print\$5 adj2 data\$5)) same (color adj2 conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:44
		(server\$5 host adj2 computer\$5 controller\$5) same (correct\$5 near3 print adj2 data) same ((color adj2 conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:42
		(server\$5 host adj2 computer\$5 controller\$5) with (correct\$5 near3 print adj2 data) same ((characterist\$5 color adj2 information\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:39
		(server\$5 host adj2 computer\$5 controller\$5) with (correct\$5 near3 print adj2 data) with ((characterist\$5 color adj2 information\$5) near4 (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:25
		(correct\$5 adjust\$5 fix\$5) adj1 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5 color adj2 information\$5) sameh (substitut\$5 alternat\$5 different\$5 availabl\$5) adj2 (image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 print\$5 scanner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:59

L6	2	("6552813").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:05
L7	10832	(358/1.1; 358/1.11-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:05
L8	13	(correct\$5 adj2 (print adj2 data color\$5)) same (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) same (substitut\$5 alternat\$5 other\$5 different\$5) adj2 printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:06
L9	3	L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:29
S1	902	(correct\$5 adj4 (print\$5 adj2 data\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:23
S2	7	(substitu\$5 availabl\$5 alternat\$5) adj2 print\$5 same S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:04
S3	1164	(correct\$5 adjust\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:27
S4	23892	(substitu\$5 alternat\$5) adj4 (print\$5 image adj2 form\$5 adj2 apparatus\$5 copy adj2 machin\$5 scanner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:10
S5	4	S3 same S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:07
S6	108	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:10

S7	42	S6 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:50
S8	2	("20020163666").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:14
S9	1	(correct\$5 adjust\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5) with (substitut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:52
S10	1	(correct\$5 adjust\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5) same (substitut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:24
S11	17	(correct\$5 adjust\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5) same (substitut\$5 alternat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:33
S12	11	S11 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:30
S13	12	(correct\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5) with (error\$5 fail\$5 abnormal\$5) adj2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:28
S14	8	S13 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:43
S15	0	(correct\$5 adjust\$5) adj2 (print\$5 adj2 data\$5 color adj2 information\$5) same (printer\$5 adj2 color adj2 profile\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:36
S16	6	(correct\$5 adjust\$5) adj2 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5 color adj2 information\$5) same (substitu\$5 alternat\$5 non adj2 referenc\$5) adj2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:41

S17	25	((("6469796")) or ("5630062")) or ("6452692") or ("5978557") or ("6348971") or ("20010043357") or ("20010052995") or ("5845057") or ("6335795") or ("6498656") or ("6687018")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:38
S18	344	(correct\$5 adj1 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5 color adj2 information\$5) with (error\$5 abnormal\$5 fail\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:52
S19	216	S18 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:08
S20	20	tuan near5 vu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:46
S21	5	huyen near4 vo.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:48
S22	8	(correct\$5 adjust\$5 fix\$5) adj1 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5 color adj2 information\$5) with (substitut\$5 alternat\$5 different\$5 availabl\$5) adj2 (image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 print\$5 scanner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:00
S23	24	(correct\$5 adjust\$5 fix\$5) adj1 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5 color adj2 information\$5) same (substitut\$5 alternat\$5 different\$5 availabl\$5) adj2 (image adj2 forming\$5 adj2 apparatus\$5 copy adj2 machine\$5 print\$5 scanner\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:04
S24	28	(correct\$5 adjust\$5 fix\$5) adj1 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5) with (color\$5 adj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:15
S25	16	S23 not S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:04

S26	10	S25 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:06
S27	2	JP-2000255034-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:08
S28	2	JP-11220611-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:08
S29	14	S24 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:22
S30	33	(correct\$5 adjust\$5) adj2 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5) with (printer\$5 adj2 (profil\$5 characteristic\$5 information\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:16
S31	12	(correct\$5 adjust\$5) adj2 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5) with (color adj2 conver\$9) with (server\$5 host\$5 computer\$5 workstation\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:24
S32	10	S30 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:17
S33	3	S31 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:22
S34	0	(server\$5 host\$5 computer\$5 workstation\$5) adj5 (correct\$5 adjust\$5) adj2 (imag\$5 adj2 data\$5 print\$5 adj2 data\$5) with (color adj2 conver\$9) same (characteristic\$5 profile\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 18:24
S35	2	JP-11161454-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:01

S36	2	(server\$5 host adj2 computer\$5 controller\$5) with (correct\$5 near3 print adj2 data) with (color adj2 conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:25
S37	2	(server\$5 host adj2 computer\$5 controller\$5) with (correct\$5 near3 print adj2 data) with ((characterist\$5 color adj2 information\$5) near4 (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:49
S38	2	JP-11161453-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:36
S39	6	(server\$5 host adj2 computer\$5 controller\$5) same (correct\$5 near3 print adj2 data) same ((characterist\$5 color adj2 information\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:41
S40	4	S39 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:40
S41	1	(server\$5 host adj2 computer\$5 controller\$5) same (correct\$5 near3 print adj2 data) same ((color adj2 conver\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:49
S42	2	(server\$5 host adj2 computer\$5 controller\$5) same (correct\$5 near3 print adj2 data) same (color adj2 conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:48
S43	2	(server\$5 host adj2 computer\$5 controller\$5) same (correct\$5 adj4 (print\$5 adj2 data\$5)) same (color adj2 conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:44
S44	6	(correct\$5 near3 print adj2 data) same ((color adj2 conver\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:49

S45	23	((correct\$5 adjust\$5) near3 print adj2 data) same ((characterist\$5 color adj2 information\$5) same (printer\$5 output adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 13:21
S46	17	S45 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 12:50
S47	8	S46 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:15
S48	1	((correct\$5 adjust\$5) near3 print adj2 data) same (color adj2 conver\$5) same (((printer\$5 output) adj2 device\$5 image adj2 forming adj2 apparatus\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:13
S49	40	(correct\$5 adj2 (print adj2 data color\$5)) with (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) adj2 (characteristic\$5 profile\$5 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:30
S50	13	S49 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:48
S51	11	(correct\$5 adj2 (print adj2 data color\$5)) with (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) with (substitut\$5 alternat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:30
S52	7	(correct\$5 adj2 (print adj2 data color\$5)) with (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) with (substitut\$5 alternat\$5 other\$5 different\$5) adj2 printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:35
S53	7	S51 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:31

S54	13	(correct\$5 adj2 (print adj2 data color\$5)) same (output adj2 device\$2 printer\$5 image adj2 forming adj2 apparatus\$5) same (substitut\$5 alternat\$5 other\$5 different\$5) adj2 printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:06
S55	4	S53 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:38
S56	5	(correct\$5 adj2 (print adj2 data color\$5)) with (substitut\$5 alternat\$5) adj2 printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:41
S57	0	S56 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:40
S58	6	(correct\$5 adj2 (print adj2 data color\$5 image adj2 data)) with (substitut\$5 alternat\$5) adj2 (printer\$5 image adj2 forming adj2 apparatus\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:41
S59	6	(correct\$5 adj2 (print adj2 data color\$5 image adj2 data)) with (substitut\$5 alternat\$5) adj2 (printer\$5 image adj2 forming adj2 apparatus\$5 copy adj2 machine\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:47
S60	6	(correct\$5 adj2 (print adj2 data color\$5 image adj2 data)) same (substitut\$5 alternat\$5) adj2 (printer\$5 image adj2 forming adj2 apparatus\$5 copy adj2 machine\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:48
S61	0	S60 not S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:48
S62	147	(correct\$5 adj2 (print adj2 data color\$5 image adj2 data)) and (substitut\$5 alternat\$5) adj2 (printer\$5 image adj2 forming adj2 apparatus\$5 copy adj2 machine\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:48

S63	51	S62 and @ad<"19990611"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:48
-----	----	------------------------	---	----	----	------------------